

# Clinical Policy: Gender Affirming Procedures

Reference Number: CA.CP.MP.496

Effective Date: 11/09

Last Review Date: 5/22

[Coding Implications](#)

[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

## Description

Services for gender affirmation most often include hormone treatment, counseling, psychotherapy, complete hysterectomy, bilateral mastectomy, chest reconstruction or augmentation as appropriate, genital reconstruction, facial hair removal, and certain facial plastic reconstruction. Not every individual will require each intervention so necessity needs to be considered on an individualized basis. These criteria outline medical necessity criteria for gender affirming procedures *when such services are included under the member's benefit plan contract provisions and subject to applicable state and federal laws*. This policy follows the recommendations from the World Professional Association of Transgender Health, formerly known as the Harry Benjamin International Gender Dysphoria Association, Standards of Care for Gender Identity Disorders, 7<sup>th</sup> version.

For Medi-Cal Members, please refer to “State of California—Health and Human Services Agency Department of Health Care Services All Plan Letters (APL) 20-018 Ensuring Access to Transgender Services October 26, 2020”

## Policy

It is the policy of California Health & Wellness that the gender-affirming surgeries listed in section II are considered medically necessary for members when diagnosed with gender dysphoria per criteria in section I A and B.

### I. Gender Dysphoria Criteria, meets A and B

- A. Member has been diagnosed with gender dysphoria (discomfort or distress that is caused by a discrepancy between a person's gender identity and that person's sex assigned at birth and the associated gender role) by a qualified mental health practitioner. As defined American Psychiatry Association (APA) Diagnostic and Statistical Manual of Mental Health Disorders (DSM-5) Gender Identity Disorder in Adolescents or Adults: marked incongruence between the member's experienced/expressed gender and assigned gender, of at least 6 month's duration, as indicated by two or more of the following:
1. Marked incongruence between the member's experienced/expressed gender and primary and/or secondary sex characteristics (or, in young adolescents, the anticipated secondary sex characteristics);
  2. A strong desire to be rid of one's primary and/or secondary sex characteristics because of a marked incongruence with one's experienced/expressed gender (or, in young adolescents, a desire to prevent the development of the anticipated secondary sex characteristics);
  3. A strong desire for the primary and/or secondary sex characteristics of the other gender;
  4. A strong desire to be of the other gender (or some alternative gender different from one's assigned gender);

## CLINICAL POLICY

### Gender-Affirming Surgery

5. A strong desire to be treated as the other gender (or some alternative gender different from one's assigned gender);
6. A strong conviction that one has the typical feelings and reactions of the other gender (or some alternative gender different from one's assigned gender).

B. A written referral letter from a qualified mental health practitioner *containing all* of the following:

1. Members general identifying characteristics;
2. Results of psychosocial assessment, including any diagnoses;
3. Duration of referring health professional's relationship with the member, including type of evaluation and therapy or counseling to date;
4. An explanation that criteria for surgery have been met, and a brief description of clinical rationale for supporting the member's request for surgery;
5. A statement that informed consent has been obtained from the member;
6. A statement that the mental health professional is willing and available for coordination of care.
7. If the request is for genital-affirming surgery, a second referral letter from a consulting qualified mental health professional is required.

#### Qualified Mental Health Professionals

Transsexual, transgender, and gender-nonconforming people might seek the assistance of a mental health professional for any number of reasons. Regardless of a person's reason for seeking care, mental health professionals should have familiarity with gender nonconformity, act with appropriate cultural competence, and exhibit sensitivity in providing care.

The training of mental health professionals competent to work with gender dysphoric adults rests upon basic general clinical competence in the assessment, diagnosis, and treatment of mental health concerns. Clinical training may occur within any discipline that prepares mental health professionals for clinical practice, such as psychology, psychiatry, social work, mental health counseling, marriage and family therapy, nursing, or family medicine with specific training in behavioral health and counseling.

The following are minimum requirements for mental health professionals who work with individuals with gender dysphoria, or who provide consultative evaluations for gender affirming surgery:

1. A master's degree or its equivalent in a clinical behavioral science field. This degree or a more advanced one should be granted by an institution accredited by the appropriate national or regional mental health professional should have documented credentials from a relevant licensing board or equivalent. These degrees should be granted by an institution accredited by the appropriate national or regional accrediting board. The mental health professional should have documented active licensure from a relevant licensing board.

## CLINICAL POLICY

### Gender-Affirming Surgery

2. Competence in using the *Diagnostic Statistical Manual of Mental Disorders* and/or the *International Classification of Diseases* for diagnostic purposes.
3. Ability to recognize and diagnose coexisting mental health concerns and to distinguish these from gender dysphoria.
4. Documented supervised training and competence in psychotherapy or counseling.
5. Knowledgeable about gender-nonconforming identities and expressions, and the assessment and treatment of gender dysphoria.
6. Continuing education in the assessment and treatment of gender dysphoria. This may include attending relevant professional meetings, workshops, or seminars; obtaining supervision from a mental health professional with relevant experience; or participating in research related to gender nonconformity and gender dysphoria.

In addition to the minimum credentials above, it is recommended that mental health professionals develop and maintain cultural competence to facilitate their work with transsexual, transgender, and gender-nonconforming clients. This may involve, for example, becoming knowledgeable about current community, advocacy, and public policy issues relevant to these clients and their families. Additionally, knowledge about sexuality, sexual health concerns, and the assessment and treatment of sexual disorders is preferred.

The following are recommended minimum credentials for mental health professionals who assess, refer, and offer therapy to children and adolescents presenting with gender dysphoria:

1. Meet the competency requirements for mental health professionals working with adults, as outlined above;
2. Trained in childhood and adolescent developmental psychopathology;
3. Competent in diagnosing and treating the ordinary problems of children and adolescents.

## II. Gender-affirming surgeries considered medically necessary when meeting above criteria

### A. Procedures for transwomen (male to female) include:

- Orchiectomy
- Penectomy
- Vaginoplasty
- Urethroplasty
- Mammoplasty
- Clitoroplasty
- Vulvoplasty
- Labiaplasty

### B. Procedures for transmen (female to male) include:

- Mastectomy
- Salpino-oophorectomy

## CLINICAL POLICY

### Gender-Affirming Surgery

- Vaginectomy
- Vulvectomy
- Metoidoplasty
- Phalloplasty
- Hysterectomy
- Urethroplasty
- Scrotoplasty
- Testicular prosthesis
- Endometrial ablation

#### C. Criteria for Breast/Chest Surgery (one referral):

##### 1. Mastectomy and creation of a male chest in Female to Male (FtM) patients:

- a. Persistent, well-documented gender dysphoria;
- b. Capacity to make a fully informed decision and to consent for treatment;
- c. Age of majority ( $\geq 18$  years of age) though it may be appropriate in younger individuals as recommended by a qualified behavioral health professional
- d. If significant medical or mental health concerns are present, they must be reasonably well controlled.

Note: Chest surgery in FtM patients could be carried out earlier, preferably after ample time of living in the desired gender role and after one year of testosterone treatment. The intent of this suggested sequence is to give adolescents sufficient opportunity to experience and socially adjust in a more masculine gender role, before undergoing irreversible surgery. However, different approaches may be more suitable, depending on an adolescent's specific clinical situation and goals for gender identity expression.

##### 2. Breast augmentation (implants/lipofilling) in Male to Female (MtF) patients:

- a. Persistent, well-documented gender dysphoria;
- b. Capacity to make a fully informed decision and to consent for treatment;
- c. Age of majority ( $\geq 18$  years of age) though it may be appropriate in younger individuals as recommended by a qualified behavioral health professional
- d. If significant medical or mental health concerns are present, they must be reasonably well controlled.

Note: Although not an explicit criterion, it is recommended that MtF patients undergo feminizing hormone therapy (minimum 12 months) prior to breast augmentation surgery. The purpose is to maximize breast growth in order to obtain better surgical (aesthetic) results.

#### D. Criteria for genital surgery (two referrals)

##### 1. Hysterectomy and ovariectomy in FtM patients and orchiectomy in MtF patients:

- a. Persistent, well documented gender dysphoria;
- b. Capacity to make a fully informed decision and to consent for treatment;

## CLINICAL POLICY

### Gender-Affirming Surgery

- c. Age of majority ( $\geq 18$  years of age);
- d. If significant medical or mental health concerns are present, they must be well controlled;
- e. Twelve (12) continuous months of hormone therapy as appropriate to the patient's gender goals (unless the patient has a medical contraindication or is otherwise unable or unwilling to take hormones).

Note: The aim of hormone therapy prior to gonadectomy is primarily to introduce a period of reversible estrogen or testosterone suppression, before a patient undergoes irreversible surgical intervention.

These criteria do not apply to patients who are having these surgical procedures for medical indications other than gender dysphoria.

#### 2. Metoidioplasty or phalloplasty in FtM patients and vaginoplasty in MtF patients:

- a. Persistent, well documented gender dysphoria;
- b. Capacity to make a fully informed decision and to consent for treatment;
- c. Age of majority ( $\geq 18$  years of age);
- d. If significant medical or mental health concerns are present, they must be well controlled;
- e. Twelve (12) continuous months of hormone therapy as appropriate to the patient's gender goals (unless the patient has a medical contraindication or is otherwise unable or unwilling to take hormones);
- f. Twelve (12) continuous months of living in a gender role that is congruent with their gender identity.

Note: Although not an explicit criterion, it is recommended that these patients also have regular visits with a mental health or other medical professional.

The criterion noted above for some types of genital surgeries – i.e., that patients engage in 12 continuous months of living in a gender role that is congruent with their gender identity – is based on expert clinical consensus that this experience provides ample opportunity for patients to experience and socially adjust in their desired gender role, before undergoing irreversible surgery.

### III. Medically Necessary/Reconstructive Surgery

- A. It is the policy of Health Net of California that each of the following procedures, when used specifically to improve the appearance of an individual undergoing gender reassignment surgery or actively participating in a documented gender reassignment surgery treatment plan, must be evaluated to determine if it is medically necessary reconstructive surgery to create a normal appearance for the gender with which the member identifies. Prior to making a clinical determination of coverage, it may be



## CLINICAL POLICY Gender Affirming Procedures

necessary to consult with a qualified and licensed mental health professional and the treating surgeon.

- Abdominoplasty
- Breast augmentation
- Subcutaneous mastectomy
- Blepharoplasty
- Electrolysis
- Facial feminization
- Facial bone reduction
- Hair transplantation
- Hair removal
- Liposuction
- Reduction thyroid chondroplasty
- Rhinoplasty
- Voice modification surgery (Section IV)

The above section clarifies how the plan administers benefits in accordance with the WPATH, SOC, Version 7. Provided a patient has been properly diagnosed with gender dysphoria or GID by a mental health professional or other provider type with appropriate training in behavioral health and competencies to conduct an assessment of gender dysphoria or GID, particularly when functioning as part of a multidisciplinary specialty team that provides access to feminizing/masculinizing hormone therapy, certain options for social support and changes in gender expression are considered to help alleviate gender dysphoria or GID.

For example, with respect to hair removal through electrolysis, laser treatment, or waxing, WPATH clarifies that patients with the same condition do not always respond to, or thrive, following the application of identical treatments. Treatment must be individualized, such as with the various hair removal techniques and medical necessity should be determined according to the judgment of a qualified mental health professional and the referring physician.

The documentation to support the medical necessity for hair removal should include all three essential elements:

- A properly trained (in behavioral health) and competent (in assessment of gender dysphoria) professional has diagnosed the member with gender dysphoria or GID.
- The individual has completed 3 years of feminizing hormonal therapy.
- The medical necessity for hair removal has been determined according to the judgment of a qualified mental health professional and the referring physician.

If any element remains to be satisfied before medical necessity can be determined, the individual should be directed to an appropriate network participating provider for consultation or treatment.



## CLINICAL POLICY Gender Affirming Procedures

### IV. Voice Modulation Surgery

It is the policy of Health Net of California to consider voice modification surgery (such as laryngoplasty or shortening of the vocal cords) related to transgender dysphoria, consistent with World Professional Association for Transgender Health (WPATH) SOC version 7 guidelines, according to the following:

- A. Voice deepening surgery (eg thyroplasty) is considered medically necessary if the voice fails to deepen after 2 years of consistent masculinization hormone therapy.
- B. Voice feminization surgery (cricothyroid approximation or CTA) is considered medically necessary when the following are met:
  1. Documentation demonstrating the member has been diagnosed with transgenderism (as defined by WPATH) by qualified professionals;
  2. Documentation that voice therapy has been provided and proven ineffective as attested to by a qualified voice therapist (trans-sensitive speech-language therapists using standard voice and communication protocols);
  3. Documentation of completed pre-operative assessments by both a laryngologist and speech-language therapist who agreed to the clinical benefits in achieving transitional goals;
  4. Documentation that a qualified voice and communication specialist (who is licensed and/or credentialed by the board responsible for speech therapists/speech-language pathologists) will follow the patient post-operatively to maximize the surgical outcome.

### Background

Gender identity is a person's deepest inner sense of being female or male, which for many is established by the age of 2 – 3 years. *Gender nonconformity* refers to the extent to which a person's gender identity, role, or expression differs from the cultural norms prescribed for people of a particular sex.<sup>5</sup> *Gender dysphoria* refers to the discomfort or distress that is caused by a discrepancy between a person's gender identity and that person's sex assigned at birth (and the associated gender role and/or primary and secondary sex characteristics)<sup>3,6</sup>. Only some transsexual, transgender, and gender-nonconforming people experience gender dysphoria at some point in their lives.

Treatment to assist people with gender dysphoria is available and can help to find the gender identity and role that is comfortable for them. Treatment is very individualized and may or may not involve gender-affirming surgery or body modification. Treatment options include changes in gender expression and role; hormone therapy to feminize or masculinize the body; surgery to change primary and/or secondary sex characteristics; and psychotherapy. Many people who receive treatment for gender dysphoria will find a gender role and expression that is comfortable for them, regardless if they differ from the sex assigned them at birth.

Guidelines from the World Professional Association for Transgender Health, Inc (WPATH) recommend that genital surgery not be carried out until patients reach the legal age of majority in a given country, and have lived continuously for at least 12 months in the gender role that is



## CLINICAL POLICY Gender Affirming Procedures

congruent with their gender identity. The age threshold should be seen as a minimum criterion and not an indication in and of itself for active intervention.<sup>11</sup> The guidelines note, however, that chest surgery in female to male patients could be carried out earlier, preferably after ample time of living in the desired gender role and after one year of testosterone treatment. The intent of this suggested sequence is to give adolescents sufficient opportunity to experience and socially adjust in a more masculine gender role, before undergoing irreversible surgery. However, different approaches may be more suitable, depending on an adolescent’s specific clinical situation and goals for gender identity expression.<sup>11</sup>

### Coding Implications

This clinical policy references Current Procedural Terminology (CPT®). CPT® is a registered trademark of the American Medical Association. All CPT codes and descriptions are copyrighted 2015, American Medical Association. All rights reserved. CPT codes and CPT descriptions are from the current manuals and those included herein are not intended to be all-inclusive and are included for informational purposes only. Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

*CPT codes that may be considered part of gender reassignment surgery.*

This code list does not indicate if a procedure is or is not considered medically necessary.

CPT®* Codes	Description
11950-11954	Subcutaneous injection of filling material (eg, collagen)
11960	Insertion of tissue expander(s) for other than breast, including subsequent expansion
11970	Replacement of tissue expander with permanent implant
14000	Adjacent tissue transfer or rearrangement, trunk; defect 10 sq cm or less
14001	Adjacent tissue transfer or rearrangement, trunk; defect 10.1 sq cm to 30.0 sq cm
14040	Adjacent tissue transfer or rearrangement, forehead, cheeks, chin, mouth, neck, axillae, genitalia, hands and/or feet; defect 10 sq cm or less
14041	Adjacent tissue transfer or rearrangement, forehead, cheeks, chin, mouth, neck, axillae, genitalia, hands and/or feet; defect 10.1 sq cm to 30.0 sq cm
15100	Split-thickness autograft, trunk, arms, legs; first 100 sq cm or less, or 1% of body area of infants and children (except 15050)
15101	Split-thickness autograft, trunk, arms, legs; each additional 100 sq cm, or each additional 1% of body area of infants and children, or part thereof (List separately in addition to code for primary procedure)
15120	Split-thickness autograft, face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, feet, and/or multiple digits; each additional 100 sq cm etc





**CLINICAL POLICY**  
**Gender Affirming Procedures**

<b>CPT®*</b> <b>Codes</b>	<b>Description</b>
15121	Split-thickness autograft, face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, feet, and/or multiple digits; first 100 sq cm or less, or 1% of body area of infants and children
15200	Full thickness graft, free, including direct closure of donor site, trunk; 20 sq cm or less
15570	Formation of direct or tubed pedicle, with or without transfer; trunk
15574	Formation of direct or tubed pedicle, with or without transfer; forehead, cheeks, chin, mouth, neck, axillae, genitalia, hands or feet
15600	Delay of flap or sectioning of flap (division and inset); at trunk
15620	Delay of flap or sectioning of flap (division and inset); at forehead, cheeks, chin, neck, axillae, genitalia, hands, or feet
15757	Free skin flap with microvascular anastomosis
15758	Free fascial flap with microvascular anastomosis
15775	Punch graft for hair transplant; 1 to 15 punch grafts
15776	Punch graft for hair transplant; more than 15 punch grafts
15780-15783	Dermabrasion
15786	Abrasion; single lesion (eg, keratosis, scar)
15787	Abrasion; each additional 4 lesions or less (List separately in addition to code for primary procedure)
15788	Chemical peel, facial; epidermal
15789	Chemical peel, facial; dermal
15792	Chemical peel, nonfacial; epidermal
15793	Chemical peel, nonfacial; dermal
15820-15823	Blepharoplasty
15824	Rhytidectomy; forehead
15825	Rhytidectomy; neck with platysmal tightening (platysmal flap, P-flap)
15826	Rhytidectomy; glabellar frown lines
15828	Rhytidectomy; cheek, chin, and neck
15829	Rhytidectomy; superficial musculoaponeurotic system (SMAS) flap
15830	Excision, excessive skin and subcutaneous tissue (includes lipectomy); abdomen, infraumbilical panniculectomy
15832-15839	Excision, excessive skin and subcutaneous tissue (includes lipectomy)
15876-15879	Suction assisted lipectomy
17380	Electrolysis epilation, each 30 minutes
19300	Mastectomy for gynecomastia
19301	Mastectomy, partial (eg, lumpectomy, tylectomy, quadrantectomy, segmentectomy);
19303	Mastectomy, simple, complete
19316	Mastopexy
19318	Reduction mammoplasty



**CLINICAL POLICY**  
**Gender Affirming Procedures**

<b>CPT®*</b> <b>Codes</b>	<b>Description</b>
19325	Breast augmentation; with implant
19350	Nipple/areola reconstruction
21120	Genioplasty; augmentation (autograft, allograft, prosthetic material)
21121	Genioplasty; sliding osteotomy, single piece
21122	Genioplasty; sliding osteotomies, 2 or more osteotomies (eg, wedge excision or bone wedge reversal for asymmetrical chin)
21123	Genioplasty; sliding, augmentation with interpositional bone grafts (includes obtaining autografts)
21125	Augmentation, mandibular body or angle; prosthetic material
21127	Augmentation, mandibular body or angle; with bone graft, onlay or interpositional (includes obtaining autograft)
21208	Osteoplasty, facial bones; augmentation (autograft, allograft, or prosthetic implant)
21209	Osteoplasty, facial bones; reduction
21210	Graft, bone; nasal, maxillary or malar areas (includes obtaining graft)
21270	Malar augmentation, prosthetic material
30400	Rhinoplasty, primary; lateral and alar cartilages and/or elevation of nasal tip
30410	Rhinoplasty, primary; complete, external parts including bony pyramid, lateral and alar cartilages, and/or elevation of nasal tip
30420	Rhinoplasty, primary; including major septal repair
30430	Rhinoplasty, secondary; minor revision (small amount of nasal tip work)
30435	Rhinoplasty, secondary; intermediate revision (bony work with osteotomies)
30450	Rhinoplasty, secondary; major revision (nasal tip work and osteotomies)
31580	Laryngoplasty; for laryngeal web, 2-stage, with keel insertion and removal
31587	Laryngoplasty, cricoid split
31599	Unlisted procedure, larynx
31899	Unlisted procedure, trachea, bronchi
44145	Colectomy, partial; with coloproctostomy (low pelvic anastomosis)
53400	Urethroplasty; first stage, for fistula, diverticulum, or stricture (eg, Johanssen type)
53405	Urethroplasty; second stage (formation of urethra), including urinary diversion
53410	Urethroplasty, 1-stage reconstruction of male anterior urethra
53415	Urethroplasty, transpubic or perineal, 1-stage, for reconstruction or repair of prostatic or membranous urethra
53420	Urethroplasty, 2-stage reconstruction or repair of prostatic or membranous urethra; first stage
53425	Urethroplasty, 2-stage reconstruction or repair of prostatic or membranous urethra; second stage
53430	Urethroplasty, reconstruction of female urethra
53460	Urethromeatoplasty, with partial excision of distal urethral segment (Richardson type procedure)
54125	Amputation of penis; complete



**CLINICAL POLICY**  
**Gender Affirming Procedures**

<b>CPT®*</b> <b>Codes</b>	<b>Description</b>
54340	Repair of hypospadias complications (ie, fistula, stricture, diverticula); by closure, incision, or excision, simple
54400	Insertion of penile prosthesis; non-inflatable (semi-rigid)
54401	Insertion of penile prosthesis; inflatable (self-contained)
54405	Insertion of multi-component, inflatable penile prosthesis, including placement of pump, cylinders, and reservoir
54406	Removal of all components of a multi-component, inflatable penile prosthesis without replacement of prosthesis
54408	Repair of component(s) of a multi-component, inflatable penile prosthesis
54410	Removal and replacement of all component(s) of a multi-component, inflatable penile prosthesis at the same operative session
54411	Removal and replacement of all components of a multi-component inflatable penile prosthesis through an infected field at the same operative session, including irrigation and debridement of infected tissue
54415	Removal of non-inflatable (semi-rigid) or inflatable (self-contained) penile prosthesis, without replacement of prosthesis
54416	Removal and replacement of non-inflatable (semi-rigid) or inflatable (self-contained) penile prosthesis at the same operative session
54417	Removal and replacement of non-inflatable (semi-rigid) or inflatable (self-contained) penile prosthesis through an infected field at the same operative session, including irrigation and debridement of infected tissue
54520	Orchiectomy, simple (including subcapsular), with or without testicular prosthesis, scrotal or inguinal approach
54660	Insertion of testicular prosthesis (separate procedure)
54690	Laparoscopy, surgical; orchiectomy
55175	Scrotoplasty; simple
55180	Scrotoplasty; complicated
55970	Intersex surgery; male to female
55980	Intersex surgery; female to male
56625	Vulvectomy simple; complete
56800	Plastic repair of introitus
56805	Clitoroplasty for intersex state
56810	Perineoplasty, repair of perineum, nonobstetrical (separate procedure)
57106	Vaginectomy, partial removal of vaginal wall;
57107	Vaginectomy, partial removal of vaginal wall; with removal of paravaginal tissue (radical vaginectomy)
57110	Vaginectomy, complete removal of vaginal wall;
57111	Vaginectomy, complete removal of vaginal wall; with removal of paravaginal tissue (radical vaginectomy)
57291	Construction of artificial vagina; without graft



**CLINICAL POLICY**  
**Gender Affirming Procedures**

<b>CPT®*</b> <b>Codes</b>	<b>Description</b>
57292	Construction of artificial vagina; with graft
57295	Revision (including removal) of prosthetic vaginal graft; vaginal approach
57296	Revision (including removal) of prosthetic vaginal graft; open abdominal approach
57335	Vaginoplasty for intersex state
57426	Revision (including removal) of prosthetic vaginal graft, laparoscopic approach
58150	Total abdominal hysterectomy (corpus and cervix), with or without removal of tube(s), with or without removal of ovary(s);
58180	Supracervical abdominal hysterectomy (subtotal hysterectomy), with or without removal of tube(s), with or without removal of ovary(s)
58260	Vaginal hysterectomy, for uterus 250 g or less;
58262	Vaginal hysterectomy, for uterus 250 g or less; with removal of tube(s), and/or ovary(s)
58263	Vaginal hysterectomy, for uterus 250 g or less; with removal of tube(s), and/or ovary(s), with repair of enterocele
58267	Vaginal hysterectomy, for uterus 250 g or less; with colpo-urethrocystopexy (Marshall-Marchetti-Krantz type, Pereyra type) with or without endoscopic control
58270	Vaginal hysterectomy, for uterus 250 g or less; with repair of enterocele
58275	Vaginal hysterectomy, with total or partial vaginectomy;
58280	Vaginal hysterectomy, with total or partial vaginectomy; with repair of enterocele
58285	Vaginal hysterectomy, radical (Schauta type operation)
58290	Vaginal hysterectomy, for uterus greater than 250 g;
58291	Vaginal hysterectomy, for uterus greater than 250 g; with removal of tube(s) and/or ovary(s)
58292	Vaginal hysterectomy, for uterus greater than 250 g; with removal of tube(s) and/or ovary(s), with repair of enterocele
58294	Vaginal hysterectomy, for uterus greater than 250 g; with repair of enterocele
58541	Laparoscopy, surgical, supracervical hysterectomy, for uterus 250 g or less;
58542	Laparoscopy, surgical, supracervical hysterectomy, for uterus 250 g or less; with removal of tube(s) and/or ovary(s)
58543	Laparoscopy, surgical, supracervical hysterectomy, for uterus greater than 250 g;
58544	Laparoscopy, surgical, supracervical hysterectomy, for uterus greater than 250 g; with removal of tube(s) and/or ovary(s)
58550	Laparoscopy, surgical, with vaginal hysterectomy, for uterus 250 g or less;
58552	Laparoscopy, surgical, with vaginal hysterectomy, for uterus 250 g or less; with removal of tube(s) and/or ovary(s)
58553	Laparoscopy, surgical, with vaginal hysterectomy, for uterus greater than 250 g;
58554	Laparoscopy, surgical, with vaginal hysterectomy, for uterus greater than 250 g; with removal of tube(s) and/or ovary(s)
58571	Laparoscopy, surgical, with total hysterectomy, for uterus 250 g or less; with removal of tube(s) and/or ovary(s)



**CLINICAL POLICY**  
**Gender Affirming Procedures**

CPT®* Codes	Description
58573	Laparoscopy, surgical, with total hysterectomy, for uterus greater than 250 g; with removal of tube(s) and/or ovary(s)
58661	Laparoscopy, surgical; with removal of adnexal structures (partial or total oophorectomy and/or salpingectomy)
58720	Salpingo-oophorectomy, complete or partial, unilateral or bilateral (separate procedure)
58999	Unlisted procedure, female genital system (nonobstetrical)
64856	Suture of major peripheral nerve, arm or leg, except sciatic; including transposition
64892	Nerve graft (includes obtaining graft), single strand, arm or leg; up to 4 cm length
64896	Nerve graft (includes obtaining graft), multiple strands (cable), hand or foot; more than 4 cm length
67900	Repair of brow ptosis (supraciliary, mid-forehead or coronal approach)

**ICD-10-CM Diagnosis Codes that Support Coverage Criteria**

ICD-10-CM Code	Description
F64-F64.9	Gender identity disorder
Z87.890	Personal history of sex reassignment

Reviews, Revisions, and Approvals	Date	Approval Date
Medical Advisory Council, initial approval		11/09
Added Medicare table, no other changes		2/11
Update – no revisions		2/12
Updated coding, no revisions		2/13
Revised format, removed “chromosomal abnormalities” from policy statement, revised hormone therapy requirements, clarified Letters of Recommendation		6/13
Added section on Hormone Therapy		2/14
Removed website on Medicare NCD on Transsexual Surgery. Per Medicare notice, NCD 140.3 was removed June 27, 2014. Additionally, references to transsexual surgery have been removed from Pub. 100-02, Medicare Benefit Policy Manual. Because the NCD is no longer valid as of the effective date, its provisions are no longer a basis for denying claims for Medicare coverage of “transsexual surgery” under 42 CFR §405.1060.		8/14



**CLINICAL POLICY**  
**Gender Affirming Procedures**

Under Not Medically Necessary, added instructions to review member coverage documents and state mandates for coverage guidance		11/14
Update - No revisions as of date of this update as it is based on the most current WPATH Version 7		6/15
Section added “Qualified Mental Health Professionals” to define qualifications		5/16
Revised section “Not Medically Necessary or Cosmetic Procedures” to “Medically Necessary or Reconstructive Surgery” to note clinical determination for coverage considerations based on California regulations		8/16
Clarified administration of benefits in Medically Necessary or Reconstructive Surgery section. Added subcutaneous mastectomy. Added codes		9/16
Revised section on electrolysis requiring 3 years of hormonal therapy		1/17
Revised section II A under 18: Exception: in adolescent female to male patients < 18 years, chest surgery may be considered after one year of testosterone treatment; and under B (not required for mastectomy in female to male except for those < 18 years) based on the Centene corporate policy	11/17	12/17
Removed separate section on Hormone Therapy. Added section on voice modulation surgery	1/19	1/19
Corporate changes: Replaced term “gender reassignment” with “gender affirmation” throughout the policy and changed title to “Gender Affirming Procedures”. Added criteria for endometrial ablation as a medically necessary procedure for transmen. Removed recommendation (in Section III) that male to female receive hormone therapy prior to breast augmentation. Reviewed by specialist.	11/19	11/19
Removed deleted CPT code (2020): 19304, Mastectomy, subcutaneous	05/20	05/20
Added reference to State of California—Health and Human Services Agency Department of Health Care Services All Plan Letters (APL) 20-018 Ensuring Access to Transgender Services October 26, 2020	11/20	11/20
Revised and reformatted policy. Revised gender dysphoria diagnosis requirements based on DSM-V, replaced psychiatrist/psychologist with qualified behavioral health practitioner, added section of mental health providers for children and adolescents, revised letter requirement, removed requirement for 12 months in associated gender for chest surgery and reformatted surgical procedure requirements by type of surgery. Replaced ‘electrolysis’ with “hair removal‘ to indicate other acceptable methods. Added reference to CA legal opinion for chest surgery. Description of CPT 11970, 19325 revised in 2021. CPT 19324, 58293 deleted in 2021	5/21	5/21
No changes	5/22	5/22



**CLINICAL POLICY**  
**Gender Affirming Procedures**

**References**

1. AAP Textbook of Pediatric Care. 2008.
2. American Psychiatric Association. Diagnostic and Statistical Manual of Mental Disorders. 5th ed. Arlington, VA: American Psychiatric Publishing; 2013.
3. Fisk NM. Editorial: Gender dysphoria syndrome – the conceptualization that liberalizes indications for total gender reorientation and implies a broadly based multi-dimensional rehabilitative regimen. *West J Med* 120:386-391, May 1974 .
4. Hayes Medical Technology Directory. Sex reassignment surgery for the treatment of gender dysphoria. May 11, 2015. Update April 2017. Annual Review August 22, 2019. Accessed August 7, 2020.
5. Institute of Medicine. The health of lesbian, gay, bisexual, and transgender people: Building a foundation for better understanding. 2011.
6. Knudson G, De Cuypere G, Bockting W. Recommendations for revision of the DSM diagnoses of gender identity disorders: Consensus statement of The World Professional Association for Transgender Health. *Int J Transgend*, 12(2);115-118.
7. Levine DA, Committee on Adolescence. Office-based care for lesbian, gay, bisexual, transgender, and questioning youth. *Pediatrics* 2013;132:e297.  
<http://pediatrics.aappublications.org/content/132/1/e297>
8. Safer JD, Tangpricha, V. Transgender women: Evaluation and management. UpToDate website. [www.uptodate.com](http://www.uptodate.com). Published November 15, 2019. Accessed August 4, 2020.
9. Safer JD, Tangpricha, V. Transgender men: Evaluation and management. UpToDate website. [www.uptodate.com](http://www.uptodate.com). Published August 22, 2018. Accessed August 4, 2020.
10. The World Professional Association for Transgender Health, Inc. (WPATH). Position statement on medical necessity of treatment, sex reassignment, and insurance coverage in the U.S.A. <https://www.wpath.org/newsroom/medical-necessity-statement> Published June 2008 (updated December 2016). Accessed May 2021
11. The World Professional Association for Transgender Health, Inc. (WPATH). Standards of Care for the Health of Transsexual, Transgender, and Gender Nonconforming People, Version 7. <https://www.wpath.org/publications/soc>. Published 2011. Accessed Aug 20, May 2021
12. American College of Obstetricians and Gynecologists. Care for Transgender Adolescents: Committee opinion number 685. [www.acog.org](http://www.acog.org). Published January 2017 (reaffirmed 2020). Accessed August 4, 2020.
13. van de Grift TC, Elaut E, Cerwenka SC, et al. Surgical Satisfaction, Quality of Life, and Their Association After Gender-Affirming Surgery: A Follow-up Study. *J Sex Marital Ther*. 2017 May 4:1-11.
14. Papadopoulos NA, Lellé JD, Zavlin D, et al. Quality of Life and Patient Satisfaction Following Male-to-Female Sex Reassignment Surgery. *J Sex Med*. 2017 May;14(5):721-730
15. Hembree WC, Cohen-Kettenis PT, Gooren L, et al. Endocrine Treatment of Gender-Dysphoric/Gender-Incongruent Persons: An Endocrine Society Clinical Practice Guideline. *J Clin Endocrinol Metab*, November 2017, 102(11):3869–3903



**CLINICAL POLICY**  
**Gender Affirming Procedures**

16. Local Coverage Article Gender Reassignment Services for Gender Dysphoria (A53793). Centers for Medicare and Medicaid Services website <https://www.cms.gov/medicare-coverage-database/overview-and-quick-search.aspx>. Published Oct 1, 2015 (revised January 1, 2020). Accessed August 4, 2020.
17. Van Damme S, Cosyns M, Deman S, et al. The Effectiveness of Pitch-raising Surgery in Male-to-Female Transsexuals: A Systematic Review. *J Voice*. 2017 Mar;31(2):244.e1-244.e5. doi: 10.1016/j.jvoice.2016.04.002. Epub 2016 Jul 28.
18. Mahfouda S, Moore JK, Siafarikas A, et al. Gender-affirming Hormones and Surgery in Transgender Children and Adolescents. *Lancet Diabetes Endo*. 2019 Jun;7(6):484-498.
19. Butler RM., Horenstein A, Gitlin M, et al. (2019). Social anxiety among transgender and gender nonconforming individuals: The role of gender-affirming medical interventions. *J Abnorm Psychol*, 128(1), 25-31.
20. Ferrando C, Thomas TN. Transgender surgery: male to female. UpToDate website. [www.uptodate.com](http://www.uptodate.com). Published June 11, 2020. Accessed August 4, 2020.
21. Ferrando C, Nikolavsky D, Zhao, LC. Transgender surgery: female to male. UpToDate website. [www.uptodate.com](http://www.uptodate.com). Published March 20, 2020. Accessed August 4, 2020.
22. Diagnostic and Statistical Manual of Mental Health Disorders: DSM-5, American Psychiatric Association
23. State of California—Health and Human Services Agency Department of Health Care Services All Plan Letters (APL) 20-018 Ensuring Access to Transgender Services October 26, 2020
24. Lara, R (2020, Dec 30) Legal Opinion: Permissibility of denial of coverage based solely on age for female to male chest reconstruction surgery as part of a treatment for gender dysphoria. Accessed at: <https://www.insurance.ca.gov/0250-insurers/0300-insurers/0200-bulletins/bulletin-notices-commiss-opinion/upload/Gender-dysphoria-male-chest-surgery-CDI-GC-opinion-letter-12-30-20.pdf>

**Important Reminder**

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. “Health Plan” means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan’s affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering





Health Net®

## CLINICAL POLICY

### Gender Affirming Procedures

benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

**Note: For Medicaid members**, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

**Note: For Medicare members**, to ensure consistency with the Medicare National Coverage Determinations (NCD) and Local Coverage Determinations (LCD), all applicable NCDs, LCDs, and Medicare Coverage Articles should be reviewed prior to applying the criteria set forth in this clinical policy. Refer to the CMS website at <http://www.cms.gov> for additional information.



Health Net®

**CLINICAL POLICY**  
**Gender Affirming Procedures**

©2016 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene® and Centene Corporation® are registered trademarks exclusively owned by Centene Corporation.